

OMKAR REALTORS & DEVELOPERS PRIVATE LIMITED

Regd. Office: Omkar House, Off Eastern Express Highway,
Opp. Sion Chunnabhatti Signal, Sion (East), Mumbai – 400 022
Tel No. 022-66254100 Fax No. 022 24034066
E-mail – contact@omkar.com CIN – U70100MH2005PTC157754

Date: 30.12.2023

To,
The Director,
Ministry of Environment, Forests & Climate Change,
Regional Office, West Central Zone,
New Secretarial Building, East wing, Civil Lane,
Near Old VCA stadium,
Nagpur – 440001.


Subject : Submission of Post Environmental Monitoring Report for Proposed Amalgamation of Slum Rehabilitation on C.S. No. 426, 427(pt), 431, 1/431, 432(pt), 1/437, 437(pt), 440(pt), 645 to 650, 651(pt), 653(pt), 654, 655(pt), 658(pt), 659(pt), 854, 869, 870, 871 of Parel-Sewri Division and C.S. No. 155(pt), 174(pt), 176(pt), 1/177(pt), 185(pt), 1038, 1039 of Dadar Naigaon Division, F/South ward of MCGM, Mumbai, Maharashtra vide no. **SEIAA-EC-0000002067 dated 07th November 2019.**

Respected Sir,

With reference to above mentioned subject, we would like to submit the point wise compliance status to various stipulated conditions laid in the above referred EC along with the necessary annexures. This compliance report is for **December, 2023**. This is for your kind consideration and records.

Thanking you,

Yours faithfully,
For, Omkar Realtors & Developers Pvt. Ltd.



(Authorized Signatory)

PART A

Point wise compliance status to various stipulations laid down by the Ministry of Environment & Forest & Climate Change as per the Environmental Clearance issued dated 07thNovember, 2019.

PART A - SPECIFIC CONDITION		
I.	CONSTRUCTION PHASE	Reply
(i)	The project proponent shall obtain all necessary clearance/permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws.	Agreed & Noted.
(ii)	Sewage shall be treated in the STP based on Moving Bed Biofilm Reactor (MBBR) Technology. The treated effluent from STP shall be recycled/re-used for flushing, horticulture & DG cooling. Excess treated water will be discharged to sewer.	Sewage treatment plant provided on site is based on MBBR technology. The treated effluent is reused for flushing whereas the excess treated water is connected to municipal sewer.
(iii)	The local bye-law provisions on rainwater harvesting should be followed. If local bye-law provision is not available, adequate provision for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. As proposed, 21 nos. of rainwater recharge pits shall be provided as per CGWB guidelines.	Rainwater harvesting tanks are provided on site.
(iv)	Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. As proposed, 90 m ² area each for rehab building and sale building shall be provided for OWC. The inert waste from group housing project will be sent to dumping site.	Segregation of waste at the source level is practiced. Wet waste is composted in OWC provided on site.
(v)	The natural drain system should be maintained for ensuring unrestricted flow of water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape, and other sustainable urban drainage systems (SUDS) are allowed for maintaining the drainage pattern and to harvest rainwater. Buildings shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.	No natural drain or any water body present on the site. All the construction work was carried out considering the natural drainage pattern. Rainwater harvesting system designed with respect to natural drainage pattern on plot.

(vi)	Construction site shall be adequately barricaded before the construction begins. Dust, smoke & other air pollution prevention measures shall be provided for the building as well as the site. These measures shall include screens for the building under construction, continuous dust/ wind breaking walls all around the site (at least 3-meter height). Plastic/tarpaulin sheet covers shall be provided for vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust.	Continuous dust/ wind breaking walls (GI Sheets) of 6m height are provided all around the site. Vehicle used for transportation of building material are in compliance of C & D waste rules-2016. Dust suppression measure such as water sprinkling is done regularly.
(vii)	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	Debris management plan strictly followed. Workers on site provided with Personal Protective Equipment.
(viii)	Provisions shall be made for the housing of construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	On site labor camps are provided for construction workers with all necessary infrastructure and facilities such as fuel for cooking, toilets, safe drinking water, medical health care etc.
(ix)	At least 20% of the open spaces as required by the local building byelaws shall be pervious. Use of Grass pavers, paver blocks with at least 50% opening, landscape etc. would be considered as pervious surface.	RG area provided is 9659.16 sq.mt during the operation phase.
(x)	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the States which have notified their own ECBC, shall comply with the State ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping, efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window, and roof u-values shall be as per ECBC specifications.	We have partially complied with ECBC. Outdoor and common area lighting is LED. Glass used is Single Glazed having U Value : 5.7 W/Sq.m.K SC : 0.62 VLT : 51% Roof : U factor- 2.84 W/m ² °C Wall: U factor - 1.7W/ sq.mt.K
(xi)	Use of water saving devices/ fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.	Low flow fixtures for showers, toilet flushing and drinking are provided

(xii)	Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.	Dual pipe plumbing provided for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, etc.
(xiii)	Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done.	Dual plumbing line for separation of gray and black water is provided.
(xiv)	Solar based electric power shall be provided to each unit for at least two bulbs/light and one fan. As proposed, central lighting and street lighting shall also be based on solar power.	Common area lightning is on solar.
(xv)	A First Aid Room shall be provided in the project both during construction and operations of the project.	First Aid is arranged at the main gate during construction phase.
(xvi)	Topsoil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas, and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.	This is an SRA project; hence no topsoil is generated.
(xvii)	Disposal of muck during construction phase shall not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Muck generated during construction phase is disposed as per the debris management plan.
(xviii)	The diesel generator sets to be used during construction phase shall be low sulphur diesel type and shall conform to Environmental (Protection) prescribed for air and noise emission standards.	No DG set provided during construction phase.
(xix)	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.	We have used pre-mixed concrete & curing agents during construction.
(xx)	As proposed, no ground water shall be used during construction/ operation phase of the project,	No ground water used during construction/operation phase.
(xxi)	Approval of the CGWA require before any dewatering for basements.	Agreed & Noted.
(xxii)	The approval of the Competent Authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc as per National Building Code including protection measures from lightning etc.	Structural stability certificates obtained for the completed buildings.
(xxiii)	Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board.	No hazardous waste generated during construction phase.

(xxiv)	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	The vehicles having valid pollution under check certificate are only being operated for transportation of construction material during nonpeak hours and conform to applicable air and noise standards.
(xxv)	Ambient noise levels shall conform to residential standards both during day and night as per Noise Pollution (Control and Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB / SPCB.	<p>During construction adequate measures are taken to maintain air quality and noise levels within the prescribed limits.</p> <p>The vehicles hired by the Contractor for construction purposes are checked for valid PUC certificates.</p> <p>Regular six-monthly monitoring of Ambient air and noise level is carried out during the construction phase to ensure that the ambient noise levels are within the prescribed limits.</p>
(xxvi)	Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include Fly Ash bricks, hollow bricks, AACs, Fly Ash Lime Gypsum blocks, Compressed earth blocks, and other environment friendly materials. Fly ash should be used as building material in the construction as per the provision of Fly Ash Notification of September 1999 and amended as on 27th August, 2003 and 25th January, 2016. Ready mixed concrete must be used in building construction.	AAC blocks used Ready mix concrete with Mixed fly ash is used during construction phase.
(xxvii)	<p>A comprehensive mobility plan, as per MoUD best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public, and private networks. Road should be designed with due consideration for environment, and safety of users. The road system can be designed with these basic criteria.</p> <ul style="list-style-type: none"> • Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. • Traffic calming measures. • Proper design of entry and exit points. • Parking norms as per local regulation 	Traffic study conducted & subsequent management plan prepared and will be executed. Parking provided as per norms.

(xxviii)	An assessment of the cumulative impact of all activities being carried out or proposed to be carried out by the project, shall be made for traffic densities and parking capabilities in a 05 kms radius from the site. A detailed traffic management and a traffic decongestion plan drawn up through an organization of repute and specializing in Transport Planning shall be implemented to the satisfaction of the State Urban development and Transport Department shall also include the consent of all the concerned implementing agencies.	Traffic study conducted & subsequent management plan prepared and shall be executed during the operational phase.
(xxix)	Project proponent should comply with conditions stipulated at Appendix – XIV of the amended EIA Notification vide S.O. 3999 (E) dated 09.12.2016	Conditions of Appendix-XIV of the amended EIA Notification dated 09.12.2016 shall be followed.
II.	OPERATIONAL PHASE	
(i)	Fresh water requirement from Municipal Corporation of Greater Mumbai water supply shall not exceed 4065.92 KLD.	Agreed & Noted.
(ii)	A minimum of 1 tree for every 80 sqm of land should be planted and maintained. The existing trees will be counted for this purpose. Preference should be given to planting native species. Where the trees need to be cut, compensatory plantation in the ratio of 1:3 (i.e. planting of 3 trees for every 1 tree that is cut) shall be done and maintained. As proposed RG area is 4254.42 sqm.	Tree plantation will as per the tree NOC. RG area provided is 9659.16 sq.mt.
(iii)	The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of the DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	DG set provided shall be of adequate stack height as per CPCB standards.
(iv)	For indoor aft quality the ventilation provisions as per National Building Code of India.	Agreed & Noted.
(v)	The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six monthly Monitoring reports.	Agreed & Noted.
(vi)	The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the Ministry before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted. Necessary measures should be made to mitigate the odour problem from STP.	STP completion is certified by an independent expert before operation.
(vii)	No sewage or untreated effluent water would be discharged through storm water drains.	No untreated effluent shall be discharged through storm water drains.

(viii)	Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) Manual on Sewerage and Sewage Treatment Systems, 2013.	Agreed & Noted.
(ix)	The provisions of the Solid Waste (Management) Rules, 2016, e-Waste (Management) Rules, 2016, the Construction and Demolition Waste Management Rules, 2016 and the Plastics Waste (Management) Rules, 2016 shall be followed.	Agreed & Noted.
(x)	Solar, wind or other renewable energy shall be installed to meet electricity generation equivalent to 1% of the demand load or as per the state level / local building byelaws requirement, whichever is higher.	Provisions made for solar panel on the rooftop. All common area lightning on solar.
(xi)	Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heaters shall be used to meet hot water demand, as far as possible.	Provisions made for solar panel on the rooftop. All common area lightning on solar.
(xii)	Energy conservation measures like installation of CFLs/ LED for the lighting the area outside the building should be integral part of the project design and should be in place before project commissioning. Used CFLs, TFL and LED shall be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.	LED lights provided.
(xiii)	An environmental management plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rainwater Harvesting, Energy efficiency and conservation, water efficiency and conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure.	EMP prepared and shall be implemented. Environment Monitoring Cell is in place.
(xiv)	The company shall draw up and implement a corporate social responsibility plan as per the company's act of 2013.	CSR activities conducted as per company's act 2013.
PART B - GENERAL CONDITIONS		
(i)	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries center and Collector's Office/ Tehsildar's office for 30 days.	Agreed & Noted.

(ii)	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.	The funds earmarked for environmental protection measures are 2312.38 lacs & recurring cost per annum is 242 lacs.
(iii)	Officials from the Regional Office of MoEF&CC, Nagpur who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection. A complete set of all the documents submitted to MoEF&CC shall be forwarded to the APCCF, Regional Office of MoEF&CC, Nagpur.	Agreed & Noted.
(iv)	In the case of any change(s) in the scope of the project, the project would Require a fresh appraisal by this Ministry.	Agreed & Noted.
(v)	The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) Act, 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.	Agreed & Noted.
(vi)	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, the Forest Conservation Act, 1980 and the Wildlife (Protection) Act, 1972 etc. shall be obtained, as applicable by project proponents from the respective competent authorities.	Agreed & Noted.
(vii)	These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act 1981, the Environment (Protection) Act, 1986, the Public Liability (Insurance) Act, 1991 and the EIA Notification, 2006.	Agreed & Noted.
(viii)	The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the Ministry of Environment, Forest and Climate Change at http://www.envfornic.in . The advertisement shall be made within Seven days from the date of receipt of the Clearance letter and a copy of the same shall be forwarded to the Regional Office of this Ministry at Nagpur.	Advertisement done in two local newspapers (Copy attached).
(ix)	Any appeal against this clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed & Noted.

(x)	A copy of the clearance letter shall be sent by the proponent to concerned Panchayat, Zilla Parisad/Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent.	Agreed & Noted.
(xi)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF&CC, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely, SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	Agreed & Noted.
(xii)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF&CC by email.	The environmental statement in Form-V is submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986.

PART B

Monitoring the Implementation of Environmental Safeguards

Ministry of Environment & Forests

Regional Office (W), Bhopal.

Monitoring Report

DATA SHEET

1. Project type: River - valley/ Mining / Industry / Thermal / Nuclear / Other (specify) : Slum Rehabilitation Scheme
2. Name of the project : Proposed amalgamation of slum rehabilitation schemes on the plot bearing CS. No. 426,427(pt), 431, 1/431, 432(pt), 1/437, 437(pt), 440(pt),645 to 650,651(pt), 654, 655(pt), 658(pt), 659(pt), 854,869,870,871 of Parel Sewri division & CS No. 155(pt), 174(pt), 176(pt), 1/177(pt),185(pt), 1038, 1039 of Dadar Naigaon division.
3. Clearance letter (s) / OM No. and Date : SEIAA-EC-0000002067 dated November 7, 2019.
4. Location :
 - a. District (S) : Mumbai
 - b. State (S) : Maharashtra
 - c. Latitude/ Longitude : Latitude : 19°00'17.56" N
Longitudde: 72°50'59.34" E
5. Address for correspondence : Mr. Mr. B.P.Singh
M/s Omkar Realtors & Developers Pvt. Ltd.
Omkar House, Sion – Trombay Road ,
Vasantnao Naik Marg, Sion – Chunabhatti
Signal, Sion, Mumbai – 400 022.
Telefax : +91 22 24034066
Email: info@omkar.com
 - a. Address of Concerned Project Chief Engineer (with pin code & Telephone / telex / fax numbers) : M/s Omkar Realtors & Developers Pvt. Ltd.
Omkar House, Off Eastern Express Highway
Opp. Sion-Chunnabhatti Signal, Sion (E).
Mumbai 400 022.
Telephone No.: 022 – 6625 4182
Telefax : 91 22 24034066
 - b. Address of Executive Project: Engineer/Manager (with pincode/ Fax numbers) : Mr. Ajit Pawar
Mobile No.: 9869813088
Address : Same as the site address
6. Salient features :
 - a. of the project : Plot Area :107988.64 m²
Total Construction Area: 1211349.04 m²

Rehab Bldg No.1	Wing A to C- Gr +23 Wing D to F - Gr +22
Rehab Bldg. No. 2	Gr + 23 Floors

Rehab Bldg. No. 3	Wing A to C :Basement for services + Gr to 40 flrs Wing D to G : Basement for services + Gr to 23 flrs
Rehab Bldg. No. 4	Basement for services + Gr to 40 flrs
Rehab Bldg. No. 5	Basement for services + Gr to 40 flrs
Sale Bldg No. 1	Wing I : 1 Lower Grd Flr + Gr. Flr+ 1st to 5th Podium+ Amenity Flr + 54 Flrs Wing J: 1 Lower Grd Flr + Gr. Flr+ 1st to 5th Podium+ Amenity Flr + 54 Flrs Wing K: 1 Lower Grd Flr + Gr. Flr+ 1st to 5th Podium+ Amenity Flr + 49 Flrs Wing L: 4 Lower Grd Floor + Gr. Flr + 1st to 5th Podium+ Amenity Flr + 43 Flrs Wing M : 4 Lower Grd Floor + Gr. Flr+ 1st to 5th Podium+ Amenity Flr + 41 Flrs Wing N : 1 Lower Grd Floor + Gr. Flr+ 1st to 5th Podium+ Amenity Flr + 47 Flrs
Sale Bldg. No. 2	Ground + 20th (pt) floor
Sale Bldg No. 3	Wing A & B:- 2 Basements + Lower Ground + Ground floor + 9 Podium + Stilt Floor + 1st to 62 floors
Composite Bldg No. 1	Rehab Wings A, B & C: Gr + 23Floors
	Sale Wing A & B :LG + Gr + 4 Podiums + 5th Amenity floors & 27 upper floors
Composite Bldg No. 2	B+ Gr + 2nd Flrs
Bombay Burma School Bldg.	G + 3 Flrs
Bhoiwada School	G + 5 floors
Temporary Transit bldgs (1 to 4)	Gr+7 upper Floor

b. of the environmental management : **1. Ambient Air Quality**

plans

- Water Sprinkling
- Cover on trucks
- Use of RMC
- Vehicles with valid PUC
- Maintaining smooth traffic flow
- DG sets: As per CPCB norms, Proper Maintenance, Use of Low sulphur fuel. Restricting open burning of solid waste.

2. Ambient Noise level

- Barricades along the periphery of the site.
- Ear Plugs for Laborers
- D.G. sets with acoustic Enclosures.
- No noise polluting work in night shifts.
- Using electrically operated construction equipment

3. Water

- Use of tanker water for construction. No burden on municipal supply
- Provision of temporary toilets and bathing facilities.
- Provision of septic tanks and soak pits.
- Construction water will be channelized properly and silt traps will be provided before disposal into natural drain.
- Disposal of logged water periodically.

4. Soil

- Top soil will be stock piled and maintained for green belt development.
- Contouring and minimizing the steepness of site; Mulching in exposed areas
- Recycle of Debris as far as possible in construction area.
- Disposal of debris to authorized sites/ recognized landfill sites
- Proper and Separate storage of construction material
- Storage of all petroleum products on impervious layers viz. concrete.
- Usage of Oil trays wherever oil spillage is expected.
- Transportation, storage and handling, disposal of HW as per their guidelines and handing it over to authorized agencies.
- Most use of electrically operated machinery.
- Segregation of garbage

5. Ecology

- Plantation of local tree species.
- Plantation of trees will start in mid of

construction phase.

- Regulation of vehicular trips and speed and proper maintenance of machinery.

6. Socio-Economic Environment

- Adequate drinking water, toilet and bathing facilities.
- Regular analysis of drinking water.
- Personal protective and safety equipment will be provided.
- First aid facility.
- Regular health check up
- Regular pest control at site.
- Crèche for worker's children
- Educational and awareness programme for safety measures.

7. Break up of the project area :
- a. submergence area forest & non-forest : Not Applicable
- b. Others : As per DP the site falls in residential zone, wherein this is a SRA project with Plot Area: 1,07,988.64 m² .
8. Break up of the project affected Population with enumeration of those losing houses/dwelling units Only agricultural land only, both Dwelling units & agricultural Land & landless labourers/artisan : Rehab :- 5993 Nos of units
- a. SC, ST/Adivasis : Not Applicable
- b. Others : Not Applicable
- (Please indicate whether these Figures are based on any scientific And systematic survey carried out Or only provisional figures, if a Survey is carried out give details And years of survey)
9. Financial details :
- a. Project cost as originally planned and subsequent revised estimates and the year of price reference : 1. Cost of Land : Nil (SRA Project)
2. Construction Cost: Rs. 2223 Crores
- b. Allocation made for environmental management plans with item wise and year wise Break-up. :

Environment Protection Measure	Capital Cost (Rs. in lakh)	Recurring Cost per annum (Rs. in lakh)
Sewage Treatment Plant	1469	124
Solid Waste Management	42.38	28
Rain Water Harvesting	586	64.5
Landscape	50.00	18.00
Energy saving features	165	7.5
TOTAL	2312.38	242.00

- c. Benefit cost ratio/Internal rate of Return and the year of assessment : --
 - d. Whether (c) includes the Cost of environmental management as shown in the above. : --
 - e. Actual expenditure incurred on the environmental management plans so far : As given above in point (b)
10. Forest land requirement :
- a. The status of approval for diversion of forest land for non-forestry use : Not Applicable
 - b. The status of clearing felling : Not Applicable
 - c. The status of compensatory afforestation, if any : Not Applicable
 - d. Comments on the viability & sustainability of compensatory afforestation program in the light of actual field experience so far : Not Applicable
11. The status of clear felling in Non-forest areas (such as submergence area of reservoir, approach roads), if any with quantitative information : Not Applicable
12. Status of construction :
- a. Date of commencement (Actual and/or planned) : 1.01.2011 (First EC dated 04.12.2010)
 - b. Date of completion (Actual and/of planned) : --
13. Reasons for the delay if the Project is yet to start : Not Applicable
14. Dates of site visits :
- a. The dates on which the project was monitored by the Regional Office on previous Occasions, if any : Not yet visited
 - b. Date of site visit for this monitoring report : Not yet visited
15. Details of correspondence with Project authorities for obtaining Action plans/information on Status of compliance to safeguards Other than the routine letters for Logistic support for site visits) : Not Applicable
- (The first monitoring report may contain the details of all the Letters issued so far, but the Later reports may cover only the Letters issued subsequently.) : --

ENCLOSURE - I
ENVIORNMENT CLEARANCE
COPY



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: November 7, 2019

To,
M/s. Omkar Realtors and Developers Pvt. Ltd
at C.S. No. 426, 427(pt), 1/431, 431, 432(pt.), 1/437, 437(pt.), 440(pt.), 645(pt), 646(pt), 648(pt) 649 (pt), 650 (pt), 651(pt), 654, 655(pt), 657(pt) 658(pt), 659(pt), 854,869,870,871 of Parel Sewri division & CS No. 155(pt), 174(pt), 176(pt), 1/177 ,185(pt), 1038, 1039 of Dadar Naigaon division.,F/South ward of MCGM.

Subject: Environment Clearance for Expansion of Slum Rehabilitation Scheme at Plot bearing C.S. No. 426, 427(pt), 431, 1/431, 432(pt.), 1/437, 437(pt.), 440(pt.), 645(pt), 646(pt), 648(pt) 649 (pt), 650 (pt), 651(pt), 654, 655(pt), 657(pt) 658(pt), 659(pt), 854,869,870,871 of Parel Sewri division & CS No. 155(pt), 174(pt), 176(pt), 1/177 ,185(pt), 1038, 1039 of Dadar Naigaon division.,F/South ward of MCGM. by M/s Omkar Realtors and Developers Pvt. Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-II, Maharashtra in its 112th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 178th meetings.


2. It is noted that the proposal is considered by SEAC-II under screening category Schedule 8(b), Category B as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	Expansion of Slum Rehabilitation Scheme at Plot bearing C.S. No. 426, 427(pt), 431, 1/431, 432(pt.), 1/437, 437(pt.), 440(pt.), 645(pt), 646(pt), 648(pt) 649 (pt), 650 (pt), 651(pt), 654, 655(pt), 657(pt) 658(pt), 659(pt), 854,869,870,871 of Parel Sewri division & CS No. 155(pt), 174(pt), 176(pt), 1/177 ,185(pt), 1038, 1039 of Dadar Naigaon division.,F/South ward of MCGM. by M/s Omkar Realtors and Developers Pvt. Ltd.
2.Type of institution	Private
3.Name of Project Proponent	M/s. Omkar Realtors and Developers Pvt. Ltd
4.Name of Consultant	M/s. Enviro Analysts & Engineers Pvt. Ltd.
5.Type of project	Slum Rehabilitation Scheme
6.New project/expansion in existing project/modernization/diversification in existing project	Expansion
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	Environmental clearance on 14th February 2019 vide No. SEIAA-EC-0000000682 for total construction area of 941746.21 sq.m.
8.Location of the project	C.S. No. 426, 427(pt), 1/431, 431, 432(pt.), 1/437, 437(pt.), 440(pt.), 645(pt), 646(pt), 648(pt) 649 (pt), 650 (pt), 651(pt), 654, 655(pt), 657(pt) 658(pt), 659(pt), 854,869,870,871 of Parel Sewri division & CS No. 155(pt), 174(pt), 176(pt), 1/177 ,185(pt), 1038, 1039 of Dadar Naigaon division.,F/South ward of MCGM.
9.Taluka	Mumbai
10.Village	Parel- Sewri Division & Dadar- Naigoan Division
Correspondence Name:	M/s Omkar Realtors and Developers Pvt. Ltd.
Room Number:	-
Floor:	-
Building Name:	-
Road/Street Name:	Off Eastern Express Highway, Opp. Sion-Chunnabhatti Signal
Locality:	Sion East
City:	Mumbai
11.Whether in Corporation / Municipal / other area	Municipal Corporation of greater Mumbai (MCGM)

SEIAA Meeting No: 178 Meeting Date: October 11, 2019 (SEIAA-STATEMENT-0000003137)
SEIAA-MINUTES-0000002665
SEIAA-EC-0000002067

Page 1 of 12


Shri. Anil Diggikar (Member Secretary SEIAA)

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Not applicable	Not applicable	Not applicable	Not applicable

23. Total Water Requirement

Dry season:	Source of water	MCGM / treated water from STP
	Fresh water (CMD):	4008
	Recycled water - Flushing (CMD):	2040
	Recycled water - Gardening (CMD):	87
	Swimming pool make up (Cum):	NA
	Total Water Requirement (CMD) :	6135
	Fire fighting - Underground water tank(CMD):	3500
	Fire fighting - Overhead water tank(CMD):	500
	Excess treated water	2617
Wet season:	Source of water	MCGM / treated water from STP/RWH
	Fresh water (CMD):	4008
	Recycled water - Flushing (CMD):	2040
	Recycled water - Gardening (CMD):	0
	Swimming pool make up (Cum):	NA
	Total Water Requirement (CMD) :	6048
	Fire fighting - Underground water tank(CMD):	3500
	Fire fighting - Overhead water tank(CMD):	500
	Excess treated water	2944
Details of Swimming pool (If any)	NA	

Government of Maharashtra

24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
25.Rain Water Harvesting (RWH)	Level of the Ground water table:		Between 8.7 m to 9.5 m						
	Size and no of RWH tank(s) and Quantity:		20 Nos of tanks having total capacity 1855 KLD						
	Location of the RWH tank(s):		Below ground						
	Quantity of recharge pits:		Nil						
	Size of recharge pits :		--						
	Budgetary allocation (Capital cost) :		Rs. 586 Lacs						
	Budgetary allocation (O & M cost) :		Rs 64.5 Lacs						
	Details of UGT tanks if any :		Domestic Tanks: 4008 KLD Flushing Tanks: 2040 KLD Fire Fighting Tanks: 3500 KLD						
26.Storm water drainage	Natural water drainage pattern:		Natural drainage pattern will be maintained						
	Quantity of storm water:		0.415 CUM/SEC						
	Size of SWD:		250 mm * 600 mm						
27.Sewage and Waste water	Sewage generation in KLD:		5246 KLD						
	STP technology:		MBBR & SBR						
	Capacity of STP (CMD):		5610 KLD						
	Location & area of the STP:		Below Ground						
	Budgetary allocation (Capital cost):		1469 Lacs						
	Budgetary allocation (O & M cost):		124 Lacs						


28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	Excavated waste material generated will be reused for backfilling and rest shall be disposed by covered trucks to the authorized landfill sites with permission from Municipal authority.
	Disposal of the construction waste debris:	Used for filling the plot and maintaining natural slopes. Construction debris shall be used for temporary leveling of site and internal roads. Remaining debris will be disposed off as per debris management plan.
Waste generation in the operation Phase:	Dry waste:	9351 kg/day
	Wet waste:	13732 kg/day
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	140.25 kg/day
	Others if any:	NA
Mode of Disposal of waste:	Dry waste:	To be handed over to Local Recyclers for recycling.
	Wet waste:	To be processed in the OWC. Manure obtained shall be used for landscaping / Gardening, Excess manure shall be sold to nearby end users.
	Hazardous waste:	NA
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	To be used as manure
	Others if any:	NA
Area requirement:	Location(s):	Ground level
	Area for the storage of waste & other material:	838 sq.m
	Area for machinery:	109 sq.m
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs.472.38 Lacs
	O & M cost:	Rs. 28 Lacs

Government of Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Amount of effluent generation (CMD):		Not applicable			
Capacity of the ETP:		Not applicable			
Amount of treated effluent recycled :		Not applicable			
Amount of water send to the CETP:		Not applicable			
Membership of CETP (if require):		Not applicable			
Note on ETP technology to be used		Not applicable			
Disposal of the ETP sludge		Not applicable			



Government of Maharashtra

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	Not applicable	Not applicable	Not applicable	Not applicable			
Source of Fuel		Not applicable					
Mode of Transportation of fuel to site		Not applicable					
33.Energy							
Power requirement:	Source of power supply :	Brihanmumbai Electric Supply and Transport (BEST)					
	During Construction Phase: (Demand Load)	300 kW					
	DG set as Power back-up during construction phase	200 kVA					
	During Operation phase (Connected load):	101679 KW					
	During Operation phase (Demand load):	42139 KW					
	Transformer:	9 Nos 1600 KVA +5 Nos 2000 KVA					
	DG set as Power back-up during operation phase:	3 Nos 1250 KVA +2 Nos 990 KVA+1 No 1010 KVA+1 No 750 KVA+1 No 500 KVA + 1 No 900 KVA+1 No 250 KVA + 1No 425 KVA					
	Fuel used:	HSD					
Details of high tension line passing through the plot if any:	Yes						
34.Energy saving by non-conventional method:							
<ul style="list-style-type: none"> External lighting on solar. Lifts will be with VFD drives and soft starters, which will result in overall 20 % power saving. Common Area Lighting, mainly LED lights with timer control operation 							
36.Detail calculations & % of saving:							
Serial Number	Energy Conservation Measures	Saving %					
1	Overall Energy saving with better design, lower lightning loads, efficient air conditioning systems, efficient pumps & motors & solar PV system.	20.31% energy saved as per Conventional Base Case.					
37.Details of pollution control Systems							
Source	Existing pollution control system	Proposed to be installed					
Not applicable	Not applicable	Not applicable					

Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 165 Lakhs
	O & M cost:	Rs. 7.5 Lakh/yr

38.Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	EHS	Toilets for labour + drinking water + first aid arrangement	15.00
2	Health and Safety of Laborers	Health, safety & first aid facility	20.00
3	Environmental Monitoring	Environmental Monitoring	2.00
4	Environmental Monitoring Cell	Environmental Monitoring Cell	2.00
5	Environmental Monitoring (Noise, Water & Soil-Project site (4 times a year)	Environmental Monitoring (Noise, Water & Soil-Project site (4 times a year)	20.00

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Water Environment	Rain Water Harvesting	586	64.5
2	Water Environment	STP	1469	124
3	Energy	Solar	165	7.5
4	Solid Waste Management	OWC	42.38	28
5	Land Environment	Landscaping	50	18

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

40.Any Other Information

No Information Available

	CRZ/ RRZ clearance obtain, if any:	NA
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	NA
	Category as per schedule of EIA Notification sheet	Schedule 8(b), Category B
	Court cases pending if any	NA
	Other Relevant Informations	The details provided are as per the full potential of the project anticipating future expansion.
	Have you previously submitted Application online on MOEF Website.	No
	Date of online submission	-

3. The proposal has been considered by SEIAA in its 178th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP to upload the revised dated Architect certificate addressing to committee regarding building wise construction (Configuration, FSI, NoN-FSI, TBUA) approvals from local Authority, actual construction done and proposed expansion with remarks.
II	As agreed by PP, PP to ensure that, all new proposed 4 STPs should be on ground open to sky.
III	PP to obtain the NoC from Petroleum and Explosives Safety Organisation (PESO) for DG set, as required.
IV	PP to upload the HRC NoC dated 21/12/2018 in which studies of light, shadow, wind analysis was appraised & approved by HRC for the proposed height.
V	The PP to get NOC from competent authority with reference to Thane creek flamingo sanctuary if the project site falls within 10 Km radius from the said sanctuary boundary. The planning authority to ensure fulfilment of this condition before granting CC.
VI	PP to submit CER prescribed by MoEF&CC circular dated 1.5.2018 relevant to the area and people around the project or Environment Department may direct PP to undertake CER work in identified area, as identified by Environment Department.
VII	PP to submit CER plan to Municipal Commissioner/District Collector and submit the acknowledgement to Member Secretary, SEIAA.
VIII	PP to ensure to comply with the conditions stipulated in the Office Memorandum issued by MoEF & CC dated 9th August, 2018
IX	PP to submit revised STP plan with cross sections details and also to ensure that STP is 40 % open to sky.
X	SEIAA decided to grant EC for-FSI - 489148.63 m2 NON FSI- 722200.41 m2 and Total BUA-1211349.04 m2 (Plan approval No.SRA/ENG/OW/23330, dated 21.05.2019)

General Conditions:

I	E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
II	The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
III	This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
IV	PP has to abide by the conditions stipulated by SEAC& SEIAA.
V	The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
VI	If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
VII	All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

VIII	Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
IX	The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
X	Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
XI	Arrangement shall be made that waste water and storm water do not get mixed.
XII	All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
XIII	Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
XIV	Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XV	Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
XVI	Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
XVII	Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
XVIII	The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
XIX	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
XX	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
XXI	Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
XXII	Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).
XXIII	Ready mixed concrete must be used in building construction.
XXIV	Storm water control and its re-use as per CGWB and BIS standards for various applications.
XXV	Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
XXVI	The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
XXVII	The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated effluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
XXVIII	Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
XXIX	Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
XXX	Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
XXXI	Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
XXXII	Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
XXXIII	Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.
XXXIV	Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.

XXXV	Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
XXXVI	Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
XXXVII	Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
XXXVIII	The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
XXXIX	Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
XL	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
XLI	Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.
XLII	Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line. No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
XLIII	Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
XLIV	Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.
XLV	A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
XLVI	In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
XLVII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XLVIII	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
XLIX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in .
L	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
LI	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
LII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
LIII	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
LIV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.



Shri. Anil Diggikar (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. MUNICIPAL COMMISSIONER MUMBAI
10. MUNICIPAL COMMISSIONER NAVI MUMBAI
11. REGIONAL OFFICE MPCB MUMBAI
12. REGIONAL OFFICE MPCB NAVI MUMBAI
13. REGIONAL OFFICE MIDC ANDHERI
14. REGIONAL OFFICE MIDC KOPER KHAIRANE NAVI MUMBAI
15. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
16. COLLECTOR OFFICE MUMBAI
17. COLLECTOR OFFICE MUMBAI SUB-URBAN

ENCLOSURE -II
ACKNOWLEDGMENT COPIES
OF EARLIER SUBMISSION

Minakshi Khot

From: Bhoiwada
Sent: Monday, June 12, 2023 4:08 PM
To: eccompliance-mh@gov.in
Cc: Aakash Taneja
Subject: Six Monthly Compliance Report_June_2023 - M/s. Omkar Realtors & Developers Pvt. Ltd.
Attachments: MoEF Nagpur_PMR_June_2023_Omkar Realtors & Developers Pvt. Ltd..pdf

Dear Sir,

Please find herewith Six Monthly compliance report for Environmental Clearance copy issued for Proposed Amalgamation of Slum Rehabilitation on C.S. No. 426, 427(pt),431, 1/431, 432(pt), 1/437, 437(pt), 440(pt), 645 to 650, 651(pt), 653(pt), 654, 655(pt), 658(pt), 659(pt), 854, 869, 870, 871 of Parel-Sewri Division and C.S. No. 155(pt), 174(pt), 176(pt), 1/177(pt), 185(pt), 1038, 1039 of Dadar Naigaon Division, F/South ward of MCGM, Mumbai, Maharashtra by **M/s. Omkar Realtors & Developers Pvt. Ltd. (vide Environment Clearance SEIAA-EC-0000002067 dated 07th November 2019)**.

Regards,
Minakshi Khot
Asst. Manager

B- +91 22 66254100 D- +91 22 66254506
M- +91 8655719664

Minakshi Khot

From: Minakshi Khot
Sent: Friday, June 30, 2023 5:46 PM
To: 'monitoring-ec@nic.in'
Subject: Six Monthly Compliance Report_June_2023
Attachments: SEIAA_June_2023_Roshni Deveopers Pvt. Ltd..pdf; SEIAA_PMR_June_2023_Omkar Realtors & Developers Pvt. Ltd..pdf; SEIAA_June_2023_Foremost Realtors Pvt. Ltd..pdf; SEIAA_PMR_June_2023_Housing Development & Infrastructure Limited.pdf; SEIAA_June_2023_Omkar Realtors & Projects Pvt. Ltd..pdf; SEIAA_June_2023_Accord Builders.pdf; SEIAA_June_2023_Omkar Realtors & Developers Pvt. Ltd..pdf; SEIAA_June_2023_Shree Nidhi Concept Realtors Pvt. Ltd..pdf

Dear Sir,

This is to inform your kind office that due to error in submission on Parivesh we are herewith emailing Six Monthly compliance report for Environmental Clearance copy issued for our following Projects:

- 1) M/s. Roshni Developers Private Limited.
- 2) M/s. Omkar Realtors & Developers Private Limited.
- 3) M/s. Foremost Realtors Private Limited.
- 4) M/s. Omkar Realtors Projects Private Limited.
- 5) M/s. Accord Builders.
- 6) M/s. Shree Nidhi Concept Realtors Private Limited.

Regards,

Minakshi Khot

From: Bhoiwada
Sent: Monday, June 12, 2023 4:09 PM
To: ec-rdw.cpcb@gov.in
Cc: Aakash Taneja
Subject: Six Monthly Compliance Report_June_2023 - M/s. Omkar Realtors & Developers Pvt. Ltd.
Attachments: CPCB_PMR_June_2023_Omkar Realtors & Developers Pvt. Ltd..pdf

Dear Sir,

Please find herewith Six Monthly compliance report for Environmental Clearance copy issued for Proposed Amalgamation of Slum Rehabilitation on C.S. No. 426, 427(pt),431, 1/431, 432(pt), 1/437, 437(pt), 440(pt), 645 to 650, 651(pt), 653(pt), 654, 655(pt), 658(pt), 659(pt), 854, 869, 870, 871 of Parel-Sewri Division and C.S. No. 155(pt), 174(pt), 176(pt), 1/177(pt), 185(pt), 1038, 1039 of Dadar Naigaon Division, F/South ward of MCGM, Mumbai, Maharashtra by **M/s. Omkar Realtors & Developers Pvt. Ltd. (vide Environment Clearance SEIAA-EC-0000002067 dated 07th November 2019)**.

Regards,
Minakshi Khot
Asst. Manager

B- +91 22 66254100 D- +91 22 66254506
M- +91 8655719664

0/c

OMKAR REALTORS & DEVELOPERS PRIVATE LIMITED

Regd. Office: Omkar House, Off Eastern Express Highway,
Opp. Sion Chunnabhatti Signal, Sion (East), Mumbai – 400 022
Tel No. 022-66254100 Fax No. 022 24034066
E-mail – contact@omkar.com CIN – U70100MH2005PTC157754

Date: 13.06.2023

**The Regional officer,
Maharashtra Pollution Control Board,
Kalpataru Point, 3rd and 4th floor,
Road No. 8, Opp. PVR Theater,
Sion Circle, Mumbai - 400022.**

Subject : Submission of Post Environmental Monitoring Report for Proposed Amalgamation of Slum Rehabilitation on C.S. No. 426, 427(pt), 431, 1/431, 432(pt), 1/437, 437(pt), 440(pt), 645 to 650, 651(pt), 653(pt), 654, 655(pt), 658(pt), 659(pt), 854, 869, 870, 871 of Parel-Sewri Division and C.S. No. 155(pt), 174(pt), 176(pt), 1/177(pt), 185(pt), 1038, 1039 of Dadar Naigaon Division, F/South ward of MCGM, Mumbai, Maharashtra vide no. **SEIAA-EC-0000002067 dated 07th November 2019.**

Respected Sir,

With reference to above mentioned subject, we would like to submit the point wise compliance status to various stipulated conditions laid in the above referred EC along with the necessary annexures. This compliance report is for **June, 2023**. This is for your kind consideration and records.

Thanking you,

Yours faithfully,

For, Omkar Realtors & Developers Pvt. Ltd.

[Handwritten Signature]

(Authorized Signatory)

[Handwritten Signature] 22/06/23

महाराष्ट्र प्रदूषण नियंत्रण मंडळ
कल्पतारु पॉइंट, ३ रा मजला, सायन सर्कल,
सिडिकॉन्ट हॉमर, सायन (पूर्व),
मुंबई - ४०० ०२२.
फोन :- २४०१०४३५ / २४०२०७८९
Website www.mpcb.gov.in

ENCLOSURE - III
NEWSPAPER
ADVERTISEMENT COPY

जाहिर सूचना

अधिकृत सहित्याची पर्यावरण विषयक संकेत, एन.जी.ओ. या सह सर्व संबंधित व्यक्ती व इतर यांना या जाहिर सूचनेद्वारा असे कळविण्यात येते की, मेसर्स ओमकार रियल्टर्स अॅन्ड डेव्हलपर्स प्रा. लि., ओमकार हाऊस, सायन बुनामट्टी सिग्नल समोर, ईस्टर्न एक्सप्रेस हायवे समोर, सायन (पूर्व), मुंबई 400022 याच्या मू.क्र. 426, 427(भाग), 431, 1/431, 432(भाग), 1/437, 437(भाग), 440(भाग), 645(भाग), 646(भाग), 648(भाग), 649(भाग), 650(भाग), 651(भाग), 654, 655(भाग), 657(भाग), 658(भाग), 659(भाग), 854, 869, 870, 871 परेले शिवडी विभाग व मू.क्र. 155(भाग), 174(भाग), 176(भाग), 1/177, 185(भाग), 1038 व 1039 दादर नायगाव विभाग येथील प्रस्तावित झोपडपट्टी पुनर्विकास प्रकल्पासाठी राज्य पर्यावरण आघात मुल्यांकन प्राधिकरण, महाराष्ट्र यांनी, नस्ती क्र. SEIAA-EC-0000002067 dated 7th Nov, 2019 अन्वये अनुमती प्रदान केलेली आहे. सदर अनुमती पत्राच्या प्रती <http://ec.maharashtra.gov.in> महाराष्ट्र प्रदुषण व नियंत्रण विभाग मंत्रालयाच्या वेबसाइटवर पाहू शकता.

मेसर्स ओमकार रियल्टर्स अॅन्ड डेव्हलपर्स प्रा. लि.
ओमकार हाऊस सायन बुनामट्टी सिग्नल समोर,
ईस्टर्न एक्सप्रेस हायवे समोर, सायन (पूर्व),
मुंबई 400 022, महाराष्ट्र.

PUBLIC NOTICE

Notice is hereby given to : 1) **ABK INDUSTRIES LTD.** (FORMERLY KNOWN AS RAVEENA ENTERPRISES), having address at 405, 36 TURNER ROAD, B-WING, WEST INDIA ENRANCE, TURNER ROAD, BANDRA (WEST), MUMBAI - 50, 2) **RANJANA NEWSPRINT IMPORTS PVT. LTD.**, having address at 517, VYAPAR BHAVAN, 5TH FLOOR, 49, P.D'MELLO ROAD, CAR NAC BUNDER, MUMBAI - 9, 3) **THAKKER CLEARING AGENCY PVT. LTD.**, having address at SHOP NO.2, TRIDEV CHS, BHAKTI MARG, MULUND (W), MUMBAI - 80, 4) **SHABARI INTERNATIONAL (AIR-DIVISION)**, having address at 605/606, 6TH FLOOR, ADITYA HERITAGE, OM NAGAR, PIPE LINE ROAD, NEXT TO JEENA HOUSE, ANDHERI (E), MUMBAI - 99, 5) **SHABARI INTERNATIONAL**, having address at 605/606, 6TH FLOOR, ADITYA HERITAGE, OM NAGAR, PIPE LINE ROAD, NEXT TO JEENA HOUSE, ANDHERI (E), MUMBAI - 99, by my Client M/s. Professional Document Storage Co. Pvt. Ltd., having its office at 119, Dadasaheb Phalke Road, "L" Block, 1st Floor, Dadar, Mumbai - 14, my client states that my client's company is a private limited company, duly registered under the Companies Act, 1956 and carrying on business of profits and gains at their office at Mumbai. My client further states that you all above mentioned parties have engaged the services of my client for storage of your various documents as per the terms and conditions of PDSCPL, mutually agreed between you all above mentioned parties and my client. My client states that as per above mentioned parties separately/individually from time to time towards monthly storage charges. My client states that with respect to the above invoices / order your outstanding dues as on 30/06/2019 is mentioned herein below:

ABK INDUSTRIES LTD. (FORMERLY KNOWN AS RAVEENA ENTERPRISES) ... Rs.26,402/- (Rupees Twenty Six Thousand Four Hundred and Two Only)

RANJANA NEWSPRINT IMPORTS PVT.LTD ... Rs.1,77,247=80 (Rupees One Lakh Seventy Seven Thousand Two hundred Fortv Seven and Palae Eightv Onlv)

जाहिर सूचना

मुंबई, शुक्रवार, १५ नोव्हेंबर २०१९

TAVERNIER RESOURCES LIMITED

Registered Office: F-3, 1st Floor, Laxmi Woolen Mills Estate, Shakti Mills Lane, Off. Dr. E. Moses Rd, Mahalaxmi Mumbai - 400 011.
CIN: L51909MH1994PLC193901

Extract of Unaudited Financial Results for the quarter and half year ended 30th September 2019

Sr. No.	Particulars	Quarter ended 30.09.2019		Half Year ended 30.09.2019		Quarter ended 30.09.2018	
		Unaudited	Unaudited	Unaudited	Unaudited	Unaudited	Unaudited
1	Total Income from Operations (Net)	104.31	(7.91)	127.59	(29.47)	42.85	22.29
2	Net Profit/(Loss) for the period from ordinary activities (before tax, exceptional and/or extraordinary items)	(7.91)	(7.91)	(29.47)	(29.47)	22.29	15.74
3	Net Profit / (Loss) for the period before tax (after exceptional / extraordinary items)	(7.91)	(7.91)	(29.47)	(29.47)	22.29	15.74
4	Net Profit / (Loss) for the period after tax (after exceptional / extraordinary items)	-	-	-	-	-	-
5	Total Comprehensive Income for the period (Comprising Profit and Other Comprehensive Income for the period)	597.90	597.90	597.90	597.90	597.90	597.90
6	Equity Share Capital	(0.13)	(0.13)	(0.49)	(0.49)	0.26	0.26
7	Reserves (excluding Revaluation Reserve as shown in the Balance Sheet of previous year)	-	-	-	-	-	-
8	Basic and Diluted Earnings per equity share (in Rs.)	-	-	-	-	-	-

Figures for Quarter ended are not annualised

Notes:
1 The above is an extract of the detailed format of Quarterly Financial Results filed with the Stock Exchanges under Regulation 33 of the SEBI (Listing and Other Disclosure Requirements) Regulations, 2015. The full format of the Quarterly Financial Results is available on the Stock Exchange website www.bseindia.com and on Company's website at www.tavernier.com
2 The above results were reviewed by the Audit Committee and then approved by the Board at their respective meeting held on 14th November 2019.

Mumbai
Date: 14th November 2019
For Tavernier Resources Limited
Sd/-
Sudhir Nahata
Managing Director



MERCURY LABORATORIES LIMITED
CIN: L74239MH1982PLC026341
Regd. Office: 18, Shreeji Bhuvan,
51, Mangaldas Road, Princess Street, Mumbai - 400 002
Tel: 022-66372841 Fax: 022-22015441

Annexure I
Extract of Unaudited Standalone Financial Results for the quarter and half year ended 30 September 2019

Sr. No.	Particulars	Three Months		Six Months		Year ended	
		Quarter ended 30 September, 2019		Half year ended 30 September, 2019		Half year ended 31 March, 2019	
		Unaudited	Unaudited	Unaudited	Unaudited	Unaudited	Unaudited
1	Total Income from Operations (net)	1,517.19	1,475.16	2,992.35	2,591.64	5,552.09	405.05
2	Net Profit / (Loss) for the period before exceptional items and tax	147.82	140.73	288.55	231.58	405.05	405.05
3	Net Profit / (Loss) for the period before tax	147.82	140.73	288.55	231.58	405.05	405.05
4	Net Profit / (Loss) for the period after tax	105.56	99.87	205.43	163.54	283.62	283.62
5	Total Comprehensive Income for the period (after tax)	105.56	99.87	205.43	163.54	283.62	283.62
6	Equity Share Capital	120.00	120.00	120.00	120.00	120.00	120.00
7	Reserves (Excluding revaluation reserves)	2,960.32	2,960.32	2,960.32	2,960.32	2,960.32	2,960.32
8	Earnings Per Share (of ₹ 10/- each) #	8.80	8.32	17.12	13.63	23.64	23.64
	1. Basic	8.80	8.32	17.12	13.63	23.64	23.64
	2. Diluted	8.80	8.32	17.12	13.63	23.64	23.64

#Not Annualised
Notes:
1 The above results have been reviewed by the Statutory auditors and Audit Committee which is approved by the Board of Directors at their meeting held on November 13, 2019.
2 The business of the Company falls under Single Segment i.e. "Pharmaceuticals Products".
3 The financial results of the Company have been prepared in accordance with Indian Accounting Standards (Ind AS) notified under Section 133 of the Companies Act, 2013 read with the relevant rules of the Companies (Indian Accounting Standards) Rules, 2015 as amended by the Companies (Indian Accounting Standards) (Amendment) Rules, 2016.



NOTICE

Unit holders are hereby informed about the declaration of dividend under the monthly dividend option* of the following scheme. The record date for the same is 20 November, 2019.

Schemes - Plan / Option Name	Gross Dividend Amount per unit (₹) Inclusive of D.D.T. & other statutory levies **	Face value per unit (₹)	NAV (₹) as on 13 Nov, '19
Tata Arbitrage Fund - Regular Plan*	0.04	10.00	10.4187
Tata Arbitrage Fund - Direct Plan*	0.04	10.00	10.4881

*(Monthly Dividend is not assured & is subject to the availability of distributable surplus). Pursuant to the payment of dividend, the NAV of the scheme would fall to the extent of the payout & statutory levy (if applicable).

**Subject to deduction of applicable Dividend Distribution Tax (D.D.T.) & other statutory levies. Dividend distribution is subject to availability & adequacy of distributable surplus on the record date. All unit holders holding units under the above mentioned option of the scheme as at close of business hours, on the record date shall be eligible for dividend.

Considering the volatile nature of markets, the Trustees reserves the right to restrict the quantum of dividend upto the per unit distributable surplus available on the record date in case of fall in the market.

Applicable for units held in non-demat form: Dividend will be paid to those Unit holders whose names appear in the Register of Unit holders under the Dividend Option of the aforesaid plan as on record date. These payouts would be done to the last bank/address details updated in our records.

Applicable for units held in demat form: Dividend will be paid to those Unit holders/Beneficial Owners maintained by the Depositories under the Dividend Option of the aforesaid plan as on record date. These payouts would be done to the last bank/address details updated in Depository Participant(s) records.

Mutual Fund investments are subject to market risks, read all scheme related documents carefully.

BACIL PHARMA LIMITED

Registered Office: 71, Laxmi Building, 4th Floor, Sir P. M. Road, Fort, Mumbai - 400001
CIN: L24200MH1987PLC043427
Email id: bacilpharma@yahoo.com; Website: www.bacilpharma.com

Notice is hereby given that pursuant to SEBI circular SEBI/HO/MIRSD/DOCS/IRP/2018/139 dated 5th November, 2018, the company has received request from the following transferee to transfer the below mentioned shares held in the name of shareholders mentioned there against as detailed below, to his/her name. These shares were claimed to have been purchased by him and could not be transferred in his/her favour.

Folio No	Name of holder/ Transferee	No. of shares	Certificate Numbers	Name of Transferee
S002540	Sumar Kanungo	10000	0055578	Jayshri Jain
0000335	Kaushik Shah	300	0003759 to 0003761	Aashish Puneshottam Bohra
0000331	Rajendra J Parekh	500	0003749 to 0003753	Aashish Puneshottam Bohra
S002539	Sanjay Mehta	10000	0055547	Jayshri Jain
S002541	Saroj Kanungo	10000	0055579	Jayshri Jain
0000334	Amit Samant	100	0003758	Aashish Puneshottam Bohra
0000324	Narayan Sanchell	500	0003713 to 0003717	Aashish Puneshottam Bohra
0000329	Susan D Souza	500	0003739 to 0003743	Aashish Puneshottam Bohra
M001773	Mohini Kishan Mutha	4000	1222 to 1261	Jayshri Jain
K001656	Kanchan Khatri	7100	0055592 to 0055601	Jayshri Jain
			0003313 00017446 00044114	
			00044115 00015719 00015720	
			00015479 00038820 507 509	
			00015721 00044113 00041114	
			00007896 00007897 00041508	
			00040121 00035633 00015141	
			00009067 00009066 00022741	
			00034040 00007139 00020673	
			00009074 00037286 to 00037289	
			00017345 00044112 00037566	
			00020672 00017447 00017448	
			00017445 00022744 00034043	
			00022742 00040122 00034042	
			00022743 00024720 00022381	
			00041310 00017344 647 to 650	
			1457 to 1460 & 1471 to 1476	

Any person who has a claim in respect of the above mentioned securities, should lodge such claim with the company as its registered office within 30 days from the date alone with appropriate documentary evidence in support of such claim, else the company shall proceed to transfer the securities in favour of the above proposed transferee, without any further intimation. The information contained in this notice is also available on website of the company at www.bacilpharma.com and on the website of Bombay stock exchange.

Place : Mumbai
Date : 13/11/2019
For BACIL PHARMA LIMITED
Prakash Shah
Director

NOTICE

Notice is hereby given for the following:
SBI MUTUAL FUND
A PARTNER FOR LIFE

ENCLOSURE –IV
APPLICATION RECEIPT
ENVIRONMENT STATEMENT

Minakshi Khot

From: MPCB Web Portal <portalsupport@mpcb.gov.in>
Sent: Monday, March 6, 2023 3:23 PM
To: Bhoiwada
Subject: Application Receipt

Greeting M/s. Omkar Realtors & Developers Pvt.Ltd..

Your application has been received.

Your Unique application number (UAN) **MPCB-ENVIRONMENT_STATEMENT-0000052260**

Please use the UAN in all your correspondence with respect to this application

You may view your application details on your Application dashboard

Thanks for your application.

Disclaimer

- This is an auto generated mail with if you are not a valid recipient please discard the same. This is not the spam.
- In case of dispute, jurisdiction with respect to Maharashtra jurisdiction
-
- Date: 06-03-2023